

Hardware

	2026-1				2026-2				2026-3				2026-4				2026-5				2026-6			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Hardware Move the notes from "warehouse" to redmine. Create BOM creator script with warehouse (...) Cablemeter PCB: missing info for 3V CANBuz Create sinewave for DAC/DMA Helios Check I2C pullups Driver board: No level shifter for I2C Calculate voltage-divider for "Enable" (...) Eval-RTC: Strange behaviour when battery (...) Resistor between BAT and "Enable" is (...) mainSwitch PCB routing problem Switch via photodiode Power supply on CANBus is very poor Wakeup-Button is not working Verseion 2: more power, RTC LM25056: Current calculated wrongly Minutnik Buttons do not fit Minutnik elnk Does UART-RX need Pullu por -down? Minutnik elnk - v0.2.x consumption tests completely (...) Yellow and red LEDs are quite (...) Power consumption too high																								

<p>Are both wakeups working correctly</p> <p>NUC64DEBUG</p> <ul style="list-style-type: none">use bigger buttons <p>NUC64DEBUG - v0.3.x</p> <ul style="list-style-type: none">BOOT0 Button pulls pin low instead (...) <p>Rufa</p> <ul style="list-style-type: none">Footprint fuer thermocouple-Kupplung (...)Introduce more noise filteringOne pin is completely missing <p>Housing</p> <p>sensemux</p> <p>Bringup HW v0.2.x</p>	
--	--